

Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.

# DANGER

Keep out of reach of children  
Read safety directions before opening

## Silasol

**Emergency telephone number:**

**+61 (0)2-9998 5656**

**In a transport emergency dial 000 Police or  
Fire Brigade**

DO NOT REUSE CONTAINER UNLESS THOROUGHLY DECONTAMINATED. SEE THE SAFETY DATA SHEET FOR ADDITIONAL INFORMATION

UN No: 1950  
AEROSOLS

**SAFETY:** Keep away from heat and flames. Do not inhale. Wear gloves and protective clothing when handling in bulk. Keep container tightly closed.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre (Australia 13 11 26, New Zealand 0800 764 766) and have this label to hand. If swallowed, do not induce vomiting; instead provide a glass of water. If in eyes, flood with water for at least 15 minutes. If on skin, wash skin and clothing thoroughly.

**SPILLS & LEAKS:** Clear area of all unprotected personnel. Slippery when spilt. Wear protective equipment. Absorb with sand or soil. Collect and seal in properly labelled drums. Refer to State/Territory Land Waste Management Authority for disposal.

**FIRE:** If material is involved in a fire use water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

CONTAINS: 30-60% BUTANE; 30-60% PROPANE; 10-30% NAPHTHA, PETROLEUM, HYDROTREATED HEAVY; 1-10% NAPHTHA, PETROLEUM, HYDRODESULFURIZED HEAVY.

