

Chemron



CITRASOLVE BLEND

\$57.20 – \$495.00

Natural renewable-resource biodegradable solvent derived from orange peel. Quick-drying, residue-free, non-conductive and non-corrosive.




Effective in dissolving grease, oils, waxes, inks, tar instantly.

Can dewater and degrease electrical equipment. May be applied by spray, dip or brush.

SKU: CSX

Chemron

VARIATIONS

Image	SKU	Price	Container Size
	CSX-XL-3-098-DC-001-LTM	\$57.20 \$57.20 (inc GST)	1LT
	CSX-XL-3-098-DC-005-LTM	\$165.00 \$165.00 (inc GST)	5LT
	CSX-XL-3-098-DC-020-LTM	\$495.00 \$495.00 (inc GST)	20LT

PRODUCT DESCRIPTION

Citrasolve Blend is quick-drying, residue-free, non-conductive and non-corrosive. It is used throughout the automotive, hospitality and waste management industries.

Citrasolve Blend can be used to dewater and degrease electrical equipment.

Citrasolve Blend may be applied by spray, dip or brush method. For an aerosol product with similar properties, we recommend our [Citraerosol](#).

Product Features:

- Non-conductive
- Non-corrosive
- Non-residue
- Quick-drying
- Economical

Ideal for:

- Tar and asphalt
- Grease and oil
- Adhesives
- Ink
- Wax

Citrasolve Blend is a highly effective replacement for Extreme Citrusclean, Air Con Flush, and Break Up.

If you have any questions about using Citrasolve Blend as a replacement for these retired products please call us or fill in the form below.

DIRECTIONS FOR USE

General cleaning including sticky or waxy residues

1. Apply using a microfibre cloth, sprayer or brush.
2. Agitate with the cloth or brush if necessary.
3. Allow to dwell for up to 5 minutes, but do not allow to dry.
4. Rinse the area with water or a wet cloth.

Note:

Recommend trialling the product in an inconspicuous area to test suitability for the surface.

DOWNLOADS

- [CSX – Compliance Label](#)

Chemron

YOU MAY ALSO LIKE...



D'Solve



Citrasolve



Citrus Oil Formulation