

Chemron



DEMA 633 BLEND CENTRE





\$155.15

Modular design lets you chain stations together to create different mixings. Mix and match 4 litres/min and 15 litres/min. Include either Action Gap or Air Gap backflow protection.




SKU: DE6

Chemron

VARIATIONS

Image	SKU	Price	Colour	Flow Rate
	D6G-GU-0-000-MN-015-LTY	\$155.15 \$155.15 (inc GST)	Green	15 litres per minute
	D6G-GU-0-000-MN-004-LTY	\$155.15 \$155.15 (inc GST)	Green	4 litres per minute
	D6R-RU-0-000-MN-015-LTY	\$155.15 \$155.15 (inc GST)	Red	15 litres per minute
	D6R-RU-0-000-MN-004-LTY	\$155.15 \$155.15 (inc GST)	Red	4 litres per minute

Chemron

Image	SKU	Price	Colour	Flow Rate
	D6B-BU-0-000-MN-015-LTY	\$155.15 \$155.15 (inc GST)	Blue	15 litres per minute
	D6B-BU-0-000-MN-004-LTY	\$155.15 \$155.15 (inc GST)	Blue	4 litres per minute
	D6Y-YU-0-000-MN-015-LTY	\$155.15 \$155.15 (inc GST)	Yellow	15 litres per minute
	D6Y-YU-0-000-MN-004-LTY	\$155.15 \$155.15 (inc GST)	Yellow	4 litres per minute

PRODUCT DESCRIPTION

Dema 633 Blend Center Single Station Dispenser has a modular design that lets you easily couple together any number of stations to create any system to meet your needs. Mix and match 1 gpm (4 litres per minute) and 4 gpm (15 litres per minute) and choose from blue, red, green, or yellow buttons.

Model No.	Bottle or Bucket	Colour Button	Fill Rate
633GAP.B1	Bottle Fill	Blue	4L per minute
633GAP.B4	Bucket Fill	Blue	15L per minute
633GAP.R1	Bottle Fill	Red	4L per minute
633GAP.R4	Bucket Fill	Red	15L per minute
633GAP.Y1	Bottle Fill	Yellow	4L per minute
633GAP.Y4	Bucket Fill	Yellow	15L per minute
633GAP.G1	Bottle Fill	Green	4L per minute
633GAP.G4	Bucket Fill	Green	15L per minute

Product Features:

- Unique modular design allows tool-less connection of any number of systems
- The kit comes with a broad range of colour-coded tips that enable a wide variety of dilution ratios.
- The compact size makes for easy out of the way installation
- Easy to access to service without removing the unit from the wall and water valve requires no tools to service
- Water inlet easily switches from the left or right side
- Action Gap and air gap backflow options to meet local plumbing agency requirements
- Compatible with SafeLink Closed Loop systems

DIRECTIONS FOR USE

Please download and refer to the manufacturer's instructions:

- [DEMA Blend Centre – 633 – Installation Instructions](#)

Chemron

YOU MAY ALSO LIKE...



Lafferty Foaming Gun



**Dema 925 Mobile
Compressed Air Foamer**